



Slings



Instructions guide

Versatile Baby Carriers

BeachfrontBabyWraps.com



Threading

ON YOUR SLING

Newborn to
35 lb.

PART A



1
Find the ends of the sling and hold the end with the rings in one hand, with the white safety tag facing up, and the tail end in the opposite hand..



2
Gather together the tail end until it is small enough to fit through both rings. Keep pulling until the tail length is equal to the length of the folded body of the sling.



3
Separate the rings with your fingers. Thread the tail end of the sling through the bottom ring only.




4
Pull the tail through the ring until there is about 6 inches of folded fabric remaining between the rings forming a bubble of fabric. Spread the fabric bubble out so that it is gathered through the rings, with no folds of fabric and ensure it is not twisted.



5
Grab the tail & lower body of the sling in one hand and the upper body of the sling in the other hand and pull tight. The bubble should disappear and the fabric should be evenly spread through the rings.



6
A perfectly threaded sling! Now you are ready to wear it!



Putting ON YOUR SLING


PART B



1 Decide which shoulder you want to bear your child's weight on. Start with the sling on the opposite side. The tail should be in the front and the Beachfront Baby tag should be right side up.



2 Put your arm through the sling and over your head, so it creates a sash across your body from shoulder to hip. The rings and the Beachfront Baby logo should be on the front of your body.



3 Place the rings on your shoulder. You want them to end up in "corsage position" so start them higher to allow for shifting down as you settle your child in the sling.



4 Open up the pouch of fabric, with the inner rail on the bottom and the outer rail on top.



5 Bring the inner/bottom rail up to line it up with the outer/top rail, folding the body of the sling in half. This creates a pouch for your child to sit in.

TIP

To ensure that the fabric is not twisted on your back, grab the top edge closest to your ear by the rings with one hand and behind your shoulder with the other and gently move as if you were drying your back. The fabric should move easily and not be tangled.



Wearing YOUR BABY IN THE HEART-TO-HEART HOLD

Newborn to
35 lb.

PART C



Put your sling on with the rings high on your shoulder and hold baby on your shoulder like you are going to burp her.



Open the pocket you created and pull the top rail of fabric up and over her back and the bottom rail to the backs of her knees.



Slowly settle baby's bottom into the pouch of the pocket. With one hand on baby's bottom, gently lift her, then with the other hand grab the tail of the sling and pull through the rings to tighten. First, pull out then pull down on the entire tail.



Keep supporting baby's body while tightening the sling, a little at a time. Pulling the inner edge of the tail out then down, will tighten the top rail supporting her back. Pulling the center of the tail out then down will tighten the center of the sling against her midsection. Pulling the outer edge of the tail out...



...then down will tighten the bottom rail supporting her bottom. Continue adjusting and tightening as needed for a secure fit. Baby's body should be snug up against yours. If she starts to slump during wearing, adjust and tighten the rails of your sling again to keep her snug.



Spread the shoulder fabric out so it cups your shoulder and is spread evenly across your back.



Your rings should be in "corsage position" and the top rail of your sling should support the back of baby's head & neck. Baby should be visible & kissable™ at all times. Her nose should not be pressed up against your body or the sling.

After baby is settled in the sling and all adjustments have been made, tie the tail of your sling to the rings to secure the fabric and prevent slippage



Gather the tail of the sling.



Pass the fabric up and through the rings towards your body.



When you have a small loop of fabric left, pass the end up through the loop, creating a simple double knot.



Pull the end to tighten the knot against the rings.



Take the end of the fabric tail and tuck it into the sling between the rings & your body.



Pull the end of the fabric tail back out to the side of your body next to the rings.



Continue wrapping the excess fabric in this way until it is completely around the rings.



TIP

To breastfeed an older baby or toddler in the sling, simply loosen the tail through the rings to slide baby down into position. Be sure to move her back up high and close enough to kiss after she is finished.

CARE

INSTRUCTIONS



Rinse in clean water after wearing in salt or chlorinated water to prolong the lifespan of the fabric



Machine wash warm



Do not bleach



Hang to dry



Do not iron



Fold carrier and store in a dry place when not in use



WARNINGS

FAILURE TO FOLLOW THE MANUFACTURER'S INSTRUCTIONS CAN RESULT IN DEATH OR SERIOUS INJURY. ONLY USE THIS CARRIER WITH CHILDREN WEIGHING BETWEEN 8 AND 35 POUNDS.

SUFFOCATION HAZARD:

BABIES YOUNGER THAN 4 MONTHS CAN SUFFOCATE IN THIS PRODUCT IF FACE IS PRESSED TIGHTLY AGAINST YOUR BODY. BABIES AT GREATEST RISK OF SUFFOCATION INCLUDE THOSE BORN PREMATURELY AND THOSE WITH RESPIRATORY PROBLEMS.

- CHECK OFTEN TO MAKE SURE BABY'S FACE IS UNCOVERED, CLEARLY VISIBLE, AND AWAY FROM CAREGIVER'S BODY AT ALL TIMES.
- MAKE SURE BABY DOES NOT CURL INTO A POSITION WITH THE CHIN RESTING ON OR NEAR BABY'S CHEST. THIS POSITION CAN INTERFERE WITH BREATHING, EVEN WHEN NOTHING IS COVERING THE NOSE OR MOUTH.
- IF YOU NURSE YOUR BABY IN CARRIER, ALWAYS REPOSITION AFTER FEEDING SO BABY'S FACE IS NOT PRESSED AGAINST YOUR BODY.
- NEVER USE THIS CARRIER WITH BABIES SMALLER THAN 8 POUNDS WITHOUT SEEKING THE ADVICE OF A HEALTHCARE PROFESSIONAL.

FALL HAZARD:

LEANING, BENDING OVER, OR TRIPPING CAN CAUSE BABY TO FALL. KEEP ONE HAND ON BABY WHILE MOVING.






WARNINGS


READ AND FOLLOW ALL PRINTED INSTRUCTIONS AND VIEW INSTRUCTIONAL VIDEOS (IF APPLICABLE).

- CHECK FOR RIPPED SEAMS, TORN STRAPS OR FABRIC, AND DAMAGED HARDWARE BEFORE EACH USE. IF FOUND, STOP USING CARRIER.
- ALWAYS CHECK TO ENSURE THAT ALL KNOTS, BUCKLES, SNAPS, STRAPS, AND ADJUSTMENTS ARE SECURE.
- ENSURE THAT THE BABY IS SAFELY POSITIONED IN THE SLING CARRIER ACCORDING TO MANUFACTURER'S INSTRUCTIONS FOR USE.
- NEVER LEAVE A BABY IN A SLING CARRIER THAT IS NOT BEING WORN.
- CHECK ON THE BABY OFTEN. ENSURE THAT THE BABY IS PERIODICALLY REPOSITIONED.
- NEVER USE A SLING CARRIER WHEN BALANCE OR MOBILITY IS IMPAIRED BECAUSE OF EXERCISE, DROWSINESS, OR MEDICAL CONDITIONS.
- NEVER PLACE MORE THAN ONE BABY IN THE SLING CARRIER. NEVER USE/WEAR MORE THAN ONE CARRIER AT A TIME.
- NEVER USE SLING CARRIER WHILE ENGAGING IN ACTIVITIES SUCH AS COOKING AND CLEANING WHICH INVOLVE A HEAT SOURCE OR EXPOSURE TO CHEMICALS.
- NEVER WEAR SLING CARRIER WHILE DRIVING OR BEING A PASSENGER IN A MOTOR VEHICLE.
- PLEASE USE A FLOTATION DEVICE FOR INFANTS


USING YOUR SLING




Correct:
Upright (optimal)
Chin up; face visible
Nose and mouth free



Correct:
Reclined
Chin up; face visible
Nose and mouth free



Incorrect:
Baby's face covered
and pressed tight
against wearer



Incorrect:
Baby is hunched with
chin touching chest;
face covered



Keep your baby

*Close and Secure
with
Beachfront Baby*

*The perfect way to take
baby in the water in style*



In the pool • At the beach • In the shower • At the water park

- ✓ 100% polyester
- ✓ Machine wash warm
- ✓ Tumble dry
- ✓ Complete use & care instructions included

Visit us!

[BeachfrontBabyWraps.com](https://www.BeachfrontBabyWraps.com)

or scan
QR code

Etsy
shop



For use with
children between
8 and 35 lbs.

Follow us at:

[@Beachfrontbaby](https://www.instagram.com/Beachfrontbaby)



Beachfront Baby[®]
llc

Beachfront Baby LLC
PO Box 460563
San Antonio, TX 78246
(210) 920-4BFB
info@beachfrontbabywraps.com